

## Safety data sheet

Page: 1/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier



## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

## 1.3. Details of the supplier of the safety data sheet

<u>Company:</u> BASF SE 67056 Ludwigshafen GERMANY Operating Division Crop Protection

Telephone: +49 621 60-27777 E-mail address: Produktinformation-Pflanzenschutz@basf.com

## 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

## **SECTION 2: Hazards Identification**

## 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) H302 Harmful if swallowed.

Page: 2/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

Acute Tox. 4 (Inhalation - mist)H332 Harmful if inhaled.Eye Dam. 1H318 Causes serious eye damage.Skin Sens. 1BH317 May cause an allergic skin reaction.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:		
Danger		
Hazard Statement:		
H318 H317 H302 + H332 H410 EUH401	Causes serious eye damage. May cause an allergic skin reaction. Harmful if swallowed or if inhaled. Very toxic to aquatic life with long lasting effects. To avoid risks to human health and the environment, comply with the instructions for use.	
Precautionary Statemen	t:	
P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions.	
Precautionary Statements (Prevention):		
P280 P271 P261 P272 P270 P264	Wear protective gloves and eye protection or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing mist or vapour or spray. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated body parts thoroughly after handling.	
Precautionary Statements (Response):		
P310 P305 + P351 + P338	Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
P330	Rinse mouth.	
P333 + P313 P301 + P312	If skin irritation or rash occurs: Get medical attention. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	

Page: 3/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx® (ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

P391Collect spillage.P362 + P364Take off contaminated clothing and wash it before reuse.Precautionary Statements (Disposal):P501Dispose of contents and container to hazardous or special waste collection point.

Hazard determining component(s) for labelling: 1,1-dimethylpiperidinium chloride; mepiquat chloride, metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol, Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., Reaction mass of 2-ethylhexyl mono-D-glucopyranoside and 2-ethylhexyl di-D-glucopyranoside

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical nature

crop protection product, Soluble concentrate (SL), growth regulator

Regulatory relevant ingredients

1,1-dimethylpiperidinium chloride; mepiquat chloride

Content (W/W): 19.13 % CAS Number: 24307-26-4 EC-Number: 246-147-6 Acute Tox. 4 (Inhalation - dust) Acute Tox. 3 (oral) Aquatic Chronic 3 H332, H301, H412

Acute toxicity estimate:

oral: 270 mg/kg Inhalation: 2.8 mg/l

metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: **Caryx**®

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

Content (W/W): 2.73 % Acute Tox. 4 (oral) CAS Number: 125116-23-6 Repr. 2 (unborn child) INDEX-Number: 613-284-00-1 Aquatic Chronic 2 H302, H361d, H411 Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008 Acute Tox. 4 (oral) Repr. 2 (unborn child) Aquatic Acute 1 Aquatic Chronic 1 Reaction mass of 2-ethylhexyl mono-D-glucopyranoside and 2-ethylhexyl di-D-glucopyranoside Content (W/W): < 30 %Eye Dam./Irrit. 1 CAS Number: 125590-73-0 H318 EC-Number: 414-420-0 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. Content (W/W): < 25 % Acute Tox. 4 (oral) CAS Number: 85536-14-7 Skin Corr. 1C EC-Number: 287-494-3 Eve Dam. 1 REACH registration number: 01-Aquatic Chronic 3 2119490234-40 H314, H302, H412 propionic acid Content (W/W): < 10 % Flam. Liq. 3 CAS Number: 79-09-4 Skin Corr. 1B REACH registration number: 01-Eye Dam. 1 2119486971-24 STOT SE 3 (irr. to respiratory syst.) H226, H335, H314 Substance with EU occupational Specific concentration limit: exposure limit Eye Dam./Irrit. 2: 10 - < 25 % Skin Corr./Irrit. 1B: >= 25 % Skin Corr./Irrit. 2: 10 - < 25 % STOT SE 3, irr. to respiratory syst.: >= 10 %

sodium hydroxide

Page: 4/19

Page: 5/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

Content (W/W): < 5 % CAS Number: 1310-73-2 EC-Number: 215-185-5 REACH registration number: 01-2119457892-27 INDEX-Number: 011-002-00-6

Met. Corr. 1 Skin Corr. 1A Eye Dam. 1 H290, H314 Specific concentration limit: Skin Irrit. 2: 0.5 - < 2 % Eve Irrit. 2: 0.5 - < 2 % Skin Corr. 1A: >= 5 % Skin Corr. 1B: 2 - < 5 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

## 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Page: 6/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

## **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

## 5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, halogenated compounds, sulfur oxides Advice: The substances/groups of substances mentioned can be released in case of fire.

## 5.3. Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## SECTION 6: Accidental Release Measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

## 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

## 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

Page: 7/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

## 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 60 Months

Protect from temperatures below:-5 °C The product can crystallize below the limit temperature. Protect from temperatures above:40 °C Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

79-09-4: propionic acid 1310-73-2: sodium hydroxide 24307-26-4: 1,1-dimethylpiperidinium chloride TWA value 1.56 mg/m3 (BASF recomm. occupational exposure limit) 125116-23-6: metconazole (ISO) TWA value 1 mg/m3 (Recommendation of BASF), Respirable dust

## 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Page: 8/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: **Caryx**®

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection: Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

State of matter: Form: Colour: Odour: Odour threshold:	liquid liquid orange, clear moderate odour, of acetic acid	
Melting temperature: Boiling point: Flammability: Lower explosion limit:	Not determined since harmful by inhalation. < -20 °C approx. 100 °C not highly flammable	(measured)
·	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

Upper explosion limit:		
	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Flash point:		(Directive 92/69/EEC, A.9)
	No flash point - Measurement made up to the boiling point.	
Auto-ignition temperature		(Directive 92/69/EEC, A.15)
	No decomposition if stored and handle	
pH value:	approx. 3 - 5 (CIPAC standard water D, 1 %(m),	(pH Meter)
	20 °C)	
Viscosity, kinematic:	approx. 102.7 mm2/s	(calculated (from dynamic
-	(20 °C)	viscosity))
Viscosity, dynamic:	113 mPa.s	(OECD Guideline 114)
Thivotropy	(20 °C, 100 1/s)	
Thixotropy: Solubility in water:	not thixotropic fully soluble	
Partitioning coefficient n-		
0	The statements are based on the	
	properties of the individual	
Information on: 1.1 dima	components.	rido
	thylpiperidinium chloride; mepiquat chlo octanol/water (log Kow): 2.82	nde
	(pH value: 7)	
	-	
Vapour pressure:	approx. 23 hPa	
	(20 °C)	
Density:	Information applies to the solvent. approx. 1.10 g/cm3	(OECD Guideline 109)
Density.	(20 °C)	
Relative vapour density (		
	not determined	
Particle characteristics		
Particle size distribution:	The substance / product is marketed of	or used in a non solid or granular
I	form	
9.2. Other information	n	
Information with regard	l to physical hazard classes	
Explosives		
Explosion hazard:	not explosive	
Oxidizing properties		
Fire promoting properties	: not fire-propagating	
Other safety characteris	stics	

Page: 10/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx® (ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

Other Information: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

#### **10.6.** Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg LC50 rat (by inhalation): 3.2 mg/l 4 h An aerosol was tested. LD50 rat (dermal): > 4,000 mg/kg No mortality was observed.

Page: 11/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Product: Caryx®

Previous version: 11.0

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

## Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes slight irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Slightly irritating.

Serious eye damage/irritation

rabbit: irreversible damage

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment of carcinogenicity:

In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Page: 12/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: **Caryx**®

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

#### Information on: propionic acid

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. After repeated administration the prominent effect is the induction of corrosion.

Information on: sodium hydroxide Assessment of repeated dose toxicity: After repeated administration the prominent effect is the induction of corrosion.

Aspiration hazard

not applicable

Interactive effects

No data available.

## 11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Page: 13/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

Other information Other relevant toxicity information

Misuse can be harmful to health.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) 10.55 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EWG, C.1, static)

Aquatic invertebrates: EC50 (48 h) 14.64 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants: EC50 (7 d) 3.44 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

No observed effect concentration (7 d) 0.03 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1,1-dimethylpiperidinium chloride; mepiquat chloride Assessment biodegradation and elimination (H2O): Readily biodegradable (according to OECD criteria).

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

\_\_\_\_\_

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 14/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

Information on:1,1-dimethylpiperidinium chloride; mepiquat chloride Assessment bioaccumulation potential: Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected. -----

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol Bioaccumulation potential:

Bioconcentration factor(BCF): 51 - 80, Lepomis macrochirus Does not accumulate in organisms. \_\_\_\_\_

## 12.4. Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1,1-dimethylpiperidinium chloride; mepiquat chloride Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol Assessment transport between environmental compartments: Volatility: The substance will not evaporate into the atmosphere from the water surface. Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore

contamination of groundwater is not expected.

\_\_\_\_\_

## 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Page: 15/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: Caryx®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

## 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

## **SECTION 13: Disposal Considerations**

## 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## **SECTION 14: Transport Information**

#### Land transport

ADR

UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METCONAZOLE)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes
Special precautions for user:	None known
RID	
UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METCONAZOLE)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known

Page: 16/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Product: Caryx®

Previous version: 11.0

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

#### Inland waterway transport

ADN	
UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METCONAZOLE)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known

Transport in inland waterway vessel Not evaluated

#### Sea transport

#### IMDG

UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METCONAZOLE)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F
<u>Air transport</u>	
IATA/ICAO	
UN number or ID number:	UN 3082

UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METCONAZOLE)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known

Page: 17/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Product: Caryx®

Previous version: 11.0

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

## 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## **SECTION 15: Regulatory Information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75, 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Page: 18/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Previous version: 11.0 Product: **Caryx**®

(ID no. 30513035/SDS\_CPA\_EU/EN)

Date of print 10.06.2025

List entry in regulation: E1 Classification applies for standard conditions of temperature and pressure.

The product contains a substance (Annex I / Annex II) regulated under Regulation (EU) 2019/1148 - "marketing and use of explosives precursors". This may result in obligations for your company according to the statutory requirements of the aforementioned regulation and the respective national implementing regulations.

To avoid risks to man and the environment, comply with the instructions for use.

#### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned	
in section 2 or 3:	
Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Skin Sens.	Skin sensitization
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Repr.	Reproductive toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr.	Skin corrosion
Flam. Liq.	Flammable liquids
STOT SE	Specific target organ toxicity — single exposure
Met. Corr.	Corrosive to metals
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Irrit.	Skin irritation
Eye Irrit.	Eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H302 + H332	Harmful if swallowed or if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the
	instructions for use.
H332	Harmful if inhaled.
H301	Toxic if swallowed.
H412	Harmful to aquatic life with long lasting effects.
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H226	Flammable liquid and vapour.
H335	May cause respiratory irritation.

Page: 19/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006. Date / Revised: 15.05.2025 Version: 12.0 Date / Previous version: 19.01.2023 Product: Caryx®

Previous version: 11.0

(ID no. 30513035/SDS\_CPA\_EU/EN) Date of print 10.06.2025

H290

May be corrosive to metals.

## Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.